

LINEA VARILUX XR SERIES

VARILUX XR PRO

| Colores | Bco Blue | Transitions | XTractive | Polarizado |
|------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| ND | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 | 1.49 / 1.59 |
| Diametros | 75 | 75 mm | 75 mm | 75 mm |
| Rangos | +6/-10 | +6/-10 | +6/-10 | +6/-10 |
| Filtro UV | Si | Si | Si | Si |
| Adicion | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 |
| Bases | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 |
| Posibilidad Trat AR | SI | SI | SI | SI |
| Posibilidad Endurecido | SI | SI | SI | SI |
| Posibilidad Prisma | X | X | X | X |

VARILUX XR DESIGN

| Colores | Bco Blue | Transitions | XTractive | Polarizado |
|------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| ND | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 | 1.49 / 1.59 |
| Diametros | 75 | 75 mm | 75 mm | 75 mm |
| Rangos | +6/-10 | +6/-10 | +6/-10 | +6/-10 |
| Filtro UV | Si | Si | Si | Si |
| Adicion | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 |
| Bases | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 |
| Posibilidad Trat AR | SI | SI | SI | SI |
| Posibilidad Endurecido | SI | SI | SI | SI |
| Posibilidad Prisma | X | X | X | X |

LINEA VARILUX 3.0

VARILUX PHYSIO 3.0

| Colores | Bco Blue | Transitions | XTractive | Polarizado |
|------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| ND | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 | 1.49 / 1.59 |
| Diametros | 75 | 75 mm | 75 mm | 75 mm |
| Rangos | +6/-10 | +6/-10 | +6/-10 | +6/-10 |
| Filtro UV | Si | Si | Si | Si |
| Adicion | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 |
| Bases | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 |
| Posibilidad Trat AR | SI | SI | SI | SI |
| Posibilidad Endurecido | SI | SI | SI | SI |
| Posibilidad Prisma | X | X | X | X |

VARILUX COMFORT MAX

| Colores | Bco Blue | Transitions | XTractive | Polarizado |
|------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| ND | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 | 1.49 / 1.59 |
| Diametros | 75 | 75 mm | 75 mm | 75 mm |
| Rangos | +6/-10 | +6/-10 | +6/-10 | +6/-10 |
| Filtro UV | Si | Si | Si | Si |
| Des Adicion | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 |
| Bases | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 |
| Posibilidad Trat AR | SI | SI | SI | SI |
| Posibilidad Endurecido | SI | SI | SI | SI |
| Posibilidad Prisma | X | X | X | X |

VARILUX LIBERTY 3.0

| Colores | Bco Blue | Transitions | XTractive | Polarizado |
|------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| ND | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 | 1.49 / 1.59 |
| Diametros | 75 | 75 mm | 75 mm | 75 mm |
| Rangos | +6/-10 | +6/-10 | +6/-10 | +6/-10 |
| Filtro UV | Si | Si | Si | Si |
| Des Adicion | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 | 0.75 a 3.50 |
| Bases | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 |
| Posibilidad Trat AR | SI | SI | SI | SI |
| Posibilidad Endurecido | SI | SI | SI | SI |
| Posibilidad Prisma | X | X | X | X |

LINEA KODAK

KODAK UNIQUE DRO

| Colores | Bco | BlueMax | Transitions | Polarizado |
|------------------------|----------------------------------|---------------------------|---------------------------|---------------------------|
| ND | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 |
| Diametros | 75 | 75 mm | 75 mm | 75 mm |
| Rangos | +6/-10 | +6/-10 | +6/-10 | +6/-10 |
| Filtro UV | Si | Si | X | X |
| Des Adicion | 0.75 a 3.50 | 0.75 / 1.25 / 1.50 / 1.75 | 0.75 / 1.25 / 1.50 / 1.75 | 0.75 / 1.25 / 1.50 / 1.75 |
| Bases | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2 / 4 / 6 | 6.25 | 2 / 4 / 6 / 8 |
| Posibilidad Trat AR | SI | SI | SI | SI |
| Posibilidad Endurecido | SI | SI | SI | SI |
| Posibilidad Prisma | X | X | X | X |

KODAK PRECISE

| Colores | Bco | BlueMax | Transitions | Polarizado |
|------------------------|----------------------------------|---------------------------|---------------------------|---------------------------|
| ND | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 / 1.67 | 1.49 / 1.59 |
| Diametros | 75 | 75 mm | 75 mm | 75 mm |
| Rangos | +6/-10 | +6/-10 | +6/-10 | +6/-10 |
| Filtro UV | Si | Si | X | X |
| Des Adicion | 0.75 a 3.50 | 0.75 / 1.25 / 1.50 / 1.75 | 0.75 / 1.25 / 1.50 / 1.75 | 0.75 / 1.25 / 1.50 / 1.75 |
| Bases | 2.25 / 4.25 / 5.25 / 6.25 / 8.25 | 2 / 4 / 6 | 6.25 | 2 / 4 / 6 / 8 |
| Posibilidad Trat AR | SI | SI | SI | SI |
| Posibilidad Endurecido | SI | SI | SI | SI |
| Posibilidad Prisma | X | X | X | X |